


# BELLAROSA

## GENERAL

- BELLAROSA is an extra early variety (75 - 80 growing days)
- Take the seed out of the bag directly after arrival for better seed conditions
- Preferably low to medium soils
- Soil preparation; aim should be a loose topsoil
- Planting distance: ■ Planting depth: normal


Aim of size	Seed size	Row distance	
		75 cm	90 cm
40/60	28/35	13-15 cm	11-13 cm
	35/55	22-24 cm	18-20 cm
60+	28/35	16-18 cm	13-15 cm
	35/55	28-30 cm	23-25 cm



- MgO 70 kg/ha

## ATTENTION POINTS

- Soil with a high pressure of spraying should be avoided
- Seedlings should be physiologically older, and starts sprouting
- Seed dressing: treatment is recommended; preferably furrow dressing (Azoxystrobin as a soil treatment shows good results against many fungi)
- BELLAROSA is slightly sensitive for pre and post emergence application of Metribuzin. If it necessary, split it in 2 treatments max. 200g/treatment (return after 4-5 days)
- N-demand of BELLAROSA is low, 20% less in comparison to other varieties
- N 110-120 kg/ha incl. N<sub>min</sub> as Ammonium or Amid (dependent from soil type/ location/ Packing size) – with irrigation it is recommended to split in two applications, 1/4 before planting and 3/4 short before tuber set. Without irrigation - application of stabilize nitrogen is recommended
- P<sub>2</sub>O<sub>5</sub> 100 kg/ha
- After tuber set - BELLAROSA needs 1 respectively 2 NPK leaf fertilizer applications
- K<sub>2</sub>O 280 - 300 kg/ha KCL possible – with irrigation split of the amounts 1/2:1/2
- BELLAROSA is slightly susceptible to leaf- and tuber blight – early start and regularly treatments till to the end are necessary



All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details.